

Fairway Formula
GREENVIEW[®]

Spring Fertilizer
with crabgrass preventer

26-4-12



26-4-12
Spring Fertilizer
with crabgrass preventer

Fairway Formula
GREENVIEW[®]
Spring Fertilizer
with crabgrass preventer

Only one application
needed with new
nitrogen technologies

Extended time-release feeding
of nitrogen greens into summer
without excess growth

Prevents crabgrass for up to
120 days

ACTIVE INGREDIENTS:	
Dibbipyr†	0.13%
OTHER INGREDIENTS	99.87%
TOTAL	100.00%

EPA Reg. No. 961-392 †CAS. No. 97886-45-8 (L) (D)
Product protected by U.S. Patent No. 4,692,184 EPA Est. 961-PA-01-961-IL-01
Other patents pending. Superscript used is first letter of lot number.

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.
USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

If terms are not acceptable, return the unopened container at once.

In the State of New York, do not exceed 4.4 lbs. product per
1000 sq. ft. (0.25 lb. active ingredient per acre) per year.
Do not apply more than once per year to the same area.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements.

SPECIMEN LABEL

Covers 5,000 sq. ft.
Net Weight 22 lbs.
(10.0 kg.)

26-4-12
1.1 lb. Nitrogen/1,000 sq. ft.
3/4 of the Nitrogen is Slow
Release

Fairway Formula
GREENVIEW[®]



with crabgrass preventer

Only one application needed with new nitrogen technologies

Extended time-release feeding of nitrogen greens into summer without excess growth

Prevents crabgrass for up to 120 days

ACTIVE INGREDIENTS:
 Dithiopyr† 0.13%
OTHER INGREDIENTS 99.87%
TOTAL 100.00%

EPA Reg. No. 961-392 †CAS. No. 97886-45-8 (L) (D)
 Product protected by U.S. Patent No. 4,692,184. EPA Est. 961-PA-01:961-IL-01
 Other patents pending. Superscript used is first letter of lot number.

**READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.
 USE ONLY ACCORDING TO LABEL INSTRUCTIONS.**
 If terms are not acceptable, return the unopened container at once.


In the State of New York, do not exceed 4.4 lbs. product per 1000 sq. ft. (0.25 lb. active ingredient per acre) per year. Do not apply more than once per year to the same area.

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**
 See back panel for additional precautionary statements.

Covers 5,000 sq. ft.
 Net Weight 22 lbs.
 (10.0 kg.)

26-4-12
 1.1 lb. Nitrogen/1,000 sq. ft.
 3/4 of the Nitrogen is Slow Release

SPECIMEN LABEL



Fairway Formula GREENVIEW® Spring Fertilizer with crabgrass preventer

CARE & HANDLING

Precautionary Statements Hazards to Humans and Domestic Animals CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

First Aid

- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- IF INHALED:**
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.
 - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

In case of an emergency involving this product, call day or night (888) 208-1368.

Environmental Hazards

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

STORAGE: Store this product only in its original container in a dry, cool, secured storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SPILL: In case of spill, sweep up material and dispose of material according to disposal directions listed above.

GENERAL INFORMATION FOR TURF USE

Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer is a premium quality combination product that provides both weed control and the required nutrients for optimum turfgrass growth - all in a single product. It contains Dimension®, a herbicide that can be applied up to 4 weeks later than other crabgrass preventers and still provides season-long control. Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer prevents crabgrass and other grass and broadleaf weeds up to 4 months, when applied prior to their germination in lawns and ornamental turfgrasses. It also provides postemergence control of seedling crabgrass for up to 4 weeks after it germinates.

Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer should be applied to lawns and ornamental turfgrasses that are well established (See "General Precautions and Restrictions" section below for a list of the tolerant turfgrasses). It will not harm nearby established ornamentals when used according to directions, given below.

General Precautions and Restrictions

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

Use of Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury. Do not apply to lawns or turfgrasses that are under stress.

Reseeding, overseeding, or sprigging of turfgrasses into areas that have been previously

treated with this product should be delayed until after 8 weeks from the time of application. Reseeding, overseeding, or sprigging before 8 weeks or earlier after application may injure or prevent the establishment of the newly reseeded, overseeded or sprigged turfgrasses.

Do not make an application of this product later than 4 weeks after crabgrass germination. Do not expect control with applications made later than 4 weeks after crabgrass germination.

DO NOT apply more than 8.8 lbs. of this product per 1,000 sq. ft. per application, and no more than 26.4 lbs. of this product per 1000 sq. ft. per year.

In the State of New York, do not exceed 4.4 lbs. product per 1000 sq. ft. (0.25 lb. active ingredient per acre) per year.

DO NOT use clippings from treated turf for mulching, vegetables, vines, or fruit trees from which feed or food products may be harvested.

Keep people and pets off treated areas until dust has settled.

Weeds Controlled and/or Suppressed

Grass Weeds - Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail.

Broadleaf Weeds - Bittercrass, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza, Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel.

APPLICATION DIRECTIONS

Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer can be applied to the following turfgrasses when used as directed:

Cool-Season Turfgrasses - Creeping Bentgrass, Fine Fescues, Kentucky Bluegrass, Perennial Ryegrass, Tall Fescues.

Warm-Season Turfgrasses - Bahiagrass, Bermudagrass, Buffalograss, Carpetgrass, Centipedegrass, St. Augustinegrass, Zoysiagrass.

Application Timing

Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer should be applied in the spring or in the fall prior to weed seed germination for control of weeds in established lawns and ornamental turfgrasses. When this product is applied in the fall, a sequential or second application must be made the following spring to provide season-long control of weeds. If this product is applied in the fall, **DO NOT** reseed, overseed or sprig turfgrasses before 12 weeks after application due to potential turfgrass injury to the newly reseeded, overseeded or sprigged turfgrasses.

When establishing a new lawn of Kentucky Bluegrass, Perennial Ryegrass and/or Tall Fescue, this product may be applied 2 weeks after the first sign of grass germination. For other turfgrass, wait until the grass is well established (2 mowings) before applying this product. Do not apply this product within an 8 week period prior to seeding, reseed, overseeding or sprigging.

Improved weed control may occur when this product is applied within a few days after mowing and further mowing is delayed until the turfgrass has been watered or received rainfall to dissolve the fertilizer granules.

Length of Control -

Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer will provide up to 4 months of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, and intensity of weed pressure.


Recommended Use Rate Table

(Lbs. Per 1,000 Sq. Ft.)

Region	2-3		3-4		Early Post Emergence Control
	Months Control	Months Control	Months Control	Months Control	
North	2.2		3.1		3.9 - 8.8
South	3.4		3.9 - 4.5		3.9 - 8.8

* Use the higher rate in areas of high weed pressure

Use Regions within the United States



Application Equipment and Instructions

Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer can be applied with a drop or rotary type spreader designed to apply granular fertilizers. For best results, apply this product evenly and uniformly over the turfgrass area, avoiding streaking, skips or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader settings so the spreader delivers the appropriate application rate as recommended above.

SPECIMEN LABEL


Post Emergence Crabgrass Control

For post emergent crabgrass control, apply Greenview Fairway Formula Spring Fertilizer with Crabgrass Preventer when crabgrass is small (3-4 leaf). It will not control large tillered crabgrass.

Drop Spreader Settings

Apply in a single pass at a rate of approximately 4.4 lbs. per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.

Drop Spreader	Setting
Greenview® Drop Spred® XP1	16½
Greenview® Drop Spred® III	7
Agri-Fab® Drop	5
Red Devil Drop (1-20)	10½
Republic Drop	6½
Scotts Drop PF	9




If your spreader model is not listed, go to our website at www.lebsea.com, or call toll-free 800-233-0628, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

A more uniform application can be made by spreading one-half of the recommended amount of this product over the turfgrass area and then applying the remaining one-half at a right angle to the previous direction. Check spreader frequently to insure it is functioning properly and distributing the granules uniformly.

Broadcast Spreader Settings

Apply in a single pass at a rate of approximately 4.4 lbs. per 1000 sq. ft. Start on the outside border and apply in a circular path working toward the center. A little overlap coverage is desirable.

Broadcast Spreader	Setting
Greenview® Jet-Spred® SS1	17½
Greenview® Jet-Spred® III	5
Agri-Fab® Rotary	7½
Cyclone Rotary	5
Earthway Rotary	18
Lesco Rotary	J
Red Devil Rotary (1-20)	10
Republic Rotary	5
Sears Craftsman Rotary	4½
Scotts SpeedyGreen®	9



To calibrate your spreader: 1 lb. of material should cover approximately 227 sq. ft.

FAIRWAY FORMULA FERTILIZER

Guaranteed Analysis

Total Nitrogen (N)	26%
3.2% Ammoniacal Nitrogen	
8.2% Water Insoluble Nitrogen*	
3.6% Urea Nitrogen	
11.0% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	12%
Total Sulfur (S)	1.5%
1.5% Combined Sulfur (S)	
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Isobutylidene Diurea, Urea, Methylene Ureas, Muriate of Potash.	
Chlorine (Cl) not more than	10.0%
* 19.2% Slowly Available Nitrogen from Methylene Ureas and IBDU.	F699
Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lebsea.com	



Greenview guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem and simply send proof of purchase to Lebanon Seaboard Corporation, 1600 East Cumberland Street, Lebanon, PA 17042.

Greenview®, IBDU®, and METH-EX® are registered trademarks of Lebanon Seaboard Corporation. Dimension® is a registered trademark of Dow AgroSciences LLC.



GREENVIEW®

LEBANON SEABOARD CORPORATION
1600 East Cumberland Street
Lebanon, PA 17042

For more information on our complete line of Greenview Lawn and Garden Products, visit our website at www.lebsea.com

Spring 26-4-12

WHAT IS SLOW RELEASE NITROGEN?

Greenview Fairway Formula Fertilizers utilize unique, slow release nitrogen sources developed for professionals.

MESA™	Provides rapid, deep greening. Feeds up to 6 weeks.
METH-EX®	Slow, continuous feeding activated by warming soil temperatures. Feeds up to 12 weeks.
IBDU®	Feeds in cool, wet weather. Great for early spring and winter. Feeds up to 16 weeks.
19.2% Slowly Available Nitrogen / 26% Total Nitrogen = 3/4 of the Nitrogen is Slow Release	

Warranty

The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer. If terms are not acceptable, return the unopened container at once.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.