



GREENVIEW®

NET WT. 15 LBS. (6.81 kg)
TREATS UP TO
7,500 SQUARE FEET



Grub Preventer and Killer

- Effective on white grub larvae including Northern and Southern masked chafer, European chafer and Japanese beetles.
- Controls cutworms, armyworms and sod webworms.
- Provides season-long control.
- Contains **MACH 2®** insecticide.



NOT FOR SALE OR USE IN NASSAU AND SUFFOLK COUNTIES, NEW YORK.

NEW YORK STATE REQUIRES THIS PRODUCT BE USED ONLY BY PROFESSIONAL APPLICATORS.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

KEEP OUT OF REACH OF CHILDREN
CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to back panel for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions.

Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label. If terms are unacceptable, return at once unopened.

ACTIVE INGREDIENTS:	
halofenozide, Benzoic acid, 4-chloro-, 2-benzoyl-2-(1,1-dimethylethyl)hydrazide	1.5%
INERT INGREDIENTS	98.5%
TOTAL	100.0%

EPA Reg. No. 62719-473-951
®Trademark of Dow AgroSciences LLC.

(I) (D)
EPA Est. 961-PA-01-961-L-01
Superscript used is first letter of lot number.

SPECIMEN LABEL

Contains **MACH 2®** Insecticide

Grub Preventer and Killer



Grub Preventer and Killer

Contains **MACH 2®** Insecticide

Grub Preventer and Killer Contains **MACH 2®** Insecticide

Controls cutworms, army worms and sod webworms.

- Provides season-long control.
- Contains **MACH 2[®]** insecticide.



NOT FOR SALE OR USE IN NASSAU AND SUFFOLK COUNTIES, NEW YORK.

NEW YORK STATE REQUIRES THIS PRODUCT BE USED ONLY BY PROFESSIONAL APPLICATORS.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

ACTIVE INGREDIENTS:

halofenozide: Benzoic acid, 4-chloro-,2-benzoyl-2-(1,1-dimethylethyl) hydrazide	1.5%
---------------------------------------------------------------------------------------	------

INERT INGREDIENTS	98.5%
--------------------------------	-------

TOTAL	100.0%
--------------------	--------

EPA Reg. No. 62719-473-961
©Trademark of Dow AgroSciences LLC.

(L) (D)
EPA Est. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN
CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to back panel for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions.

Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label. If terms are unacceptable, return at once unopened.

SPECIMEN LABEL

Grub Preventer and Killer Contains **MACH 2[®]** Insecticide

GREENVIEW[®]

NET WT. 15 LBS. (6.81 kg)
TREATS UP TO 7,500 SQUARE FEET

Grub Preventer and Killer

Contains
MACH 2[®]
Insecticide



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes Moderate Eye Irritation • Harmful If Absorbed Through Skin.

Avoid contact with skin, eyes or clothing. Wear shirt and pants, socks and shoes, and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-992-5994 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

This chemical has the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry, well-ventilated area. Prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original container and out of reach of children.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

GENERAL INFORMATION

Greenview Grub Preventer and Killer can be used as directed on any turfgrass site (lawns, turf areas). Examples of such sites include, but are not limited to: residential lawns and multi-family and residential apartment complexes.

Greenview Grub Preventer and Killer mimics the action of a natural insect hormone that induces the molting and metamorphosis process in insects. Greenview Grub Preventer and Killer is highly active against grubs and lepidopterous larvae listed as target pests. Greenview Grub Preventer and Killer controls listed larvae through a novel mode-of-action that starts within hours of ingestion. Actual death of larvae may take several days to occur.

USE RATE DETERMINATION

Carefully read, understand, and follow label use rates, recommendations and restrictions. Apply the amount specified in the following table with a properly calibrated granular spreader. Check calibration periodically to ensure that equipment is working properly. Avoid overlaps that will increase rates above those recommended. Failure to follow the Directions for Use and all precautions on this label may result in grass injury or poor pest control.

SPECIMEN LABEL

APPLICATION TIMING

The activity of Greenview Grub Preventer and Killer is expressed following ingestion by the target larvae. Consequently, the timing of application is dependent upon the feeding behavior of the target pest.

To achieve optimal effectiveness, the following turf management practices are suggested:

- **Minimize thatch** since heavy thatch will prevent the insecticide from penetrating to the area where insects are feeding.
- **Make early applications prior to egg hatch up to when larvae reach the larva stage of development** (late spring through mid summer).
- **Greenview Grub Preventer and Killer is not dependent upon immediate irrigation for activation;** however, water must transport the material through the thatch. Under conditions of drought it is recommended to water in Greenview Grub Preventer and Killer.

APPLICATION EQUIPMENT

Apply Greenview Grub Preventer and Killer with a drop or rotary spreader designed to apply granular insecticides. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Calibrate the spreader according to the manufacturer's directions for adjusting the spreader settings such that the spreader delivers the appropriate application rate recommended above. Apply this product uniformly over the lawn or ornamental turf area. A more uniform application can be made by spreading half the required amount over the area and then applying the remaining half at a right angle to the previous direction. Avoid streaking, skips, or overlaps during application.



USE DIRECTIONS FOR TURFGRASS

Pests	Amount to Use	Comments
Lepidoptera larvae such as: larvae of armyworms, cutworms, fall armyworms, and sod webworms	1.55 lb/1000 sq. ft.	Apply Greenview Grub Preventer and Killer at first sign of pest damage. A single repeat application can be made if needed.
White grub larvae such as: annual bluegrass weevil larvae, aphodius beetle, billbugs, black turfgrass atatenius, European chafer, green June beetle, Japanese beetle, May/June beetle, northern masked chafer, Oriental beetle, southern masked chafer	3 lb/1000 sq. ft.	Greenview Grub Preventer and Killer may be used as either a preventative treatment or early treatment against young actively feeding larvae that have not developed past the larvae stage (see application timing instructions). Make one application at full rate.

Do not apply more than 3 lb (2 lb active ingredient) per 1000 sq ft per year regardless of pests controlled.

Use of this product on "Tifdwarf" Bermudagrass greens may result in short term discoloration of the turfgrass. Since many agronomic factors may influence this response it is recommended that users treat a small area at recommended rates prior to initiating large-scale use.

SPREADER SETTINGS

Drop Spreader	Amount to Use			Broadcast Spreader	Amount to Use		
	1.55 Lbs./1,000 Sq. Ft.	3 Lbs./1,000 Sq. Ft.			1.55 Lbs./1,000 Sq. Ft.	3 Lbs./1,000 Sq. Ft.	
Agri-Fab® Drop	4	4 1/2		Agri-Fab® Rotary	3	5 1/2	
Earthway® Drop	12	18		Cyclone® Rotary	3	4 1/2	
Greenview® Drop-Spred® XP1	12	18		Earthway® Rotary	13	17	
Red Devil® Drop (1-5)	3	4 1/2		Greenview® Jet-Spred® SS1	13	17	
Republic® Drop	4	7 1/2		Greenview® Jet-Spred® III	3 1/2	4 1/2	
Sears® Drop Lawn Crafter®	4	4 1/2		Lesco® Rotary (dial A-S)/(number dial)	C / 9	G / 15	
Scotts® Drop AccuGreen® (2-18)	5	6		Red Devil® Rotary (1-10)/(1-20)	2 1/2 / 4 1/2	3 1/2 / 5	
Scotts® Drop PF-1 (2-18)	6 1/2	8		Republic® Rotary (2-16)	1 1/2	4	
Sta-Green® Drop (1-5)	3	4 1/2		Scotts® EasyGreen®	25	27	
				Scotts® Edgeguard®	4	6 1/2	
				Scotts® SpeedyGreen® 2000, 3000	3	6 1/2	
				Sears® Craftsman Rotary	3	5 1/2	
				Sta-Green® Rotary (1-10)	2 1/2	3 1/2	
				True Temper® Rotary	3	4	
				Vigoro® Rotary (1-10)	2 1/2	3 1/2	

NOTE: If your spreader model does not appear, please call toll free 800-233-1067, 8 A.M. - 5 P.M. EDT, Monday - Friday for additional model settings.

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

WARRANTY DISCLAIMER

The Distributor warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. The Distributor MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of the Distributor or the seller. All such risks shall be assumed by buyer.

SPECIMEN LABEL

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at the Distributor's election, one of the following:

(1) Refund of purchase price paid by buyer or user for product bought, or (2) Replacement of amount of product used.

The Distributor shall not be liable for losses or damages resulting from handling or use of this product unless the Distributor is promptly notified of such loss or damage in writing. In no case shall the Distributor be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Distributor or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Distributed by: **LEBANON SEABOARD CORPORATION**
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042
www.lebsea.com

SPECIMEN LABEL