

Net Wt. 50 Lbs. (22.68 kg)



GREEN WITHOUT GROWTH ORGANIC IRON

ORGANIC IRON

GREEN WITHOUT GROWTH

SPECIMEN LABEL

PERK ORGANIC IRON GREEN WITHOUT GROWTH

**SIZE GUIDE NUMBER**  
SGN 195

**4-0-10** 0 88685 58138 0

**GUARANTEED ANALYSIS**

Total Nitrogen (N) .....	4%
4.0% Ammoniacal Nitrogen .....	
Soluble Potash (K <sub>2</sub> O) .....	10%
Total Magnesium (Mg) .....	1.5%
1.5% Water Soluble Magnesium (Mg) .....	
Total Sulfur (S) .....	10.0%
10.0% Combined Sulfur (S) .....	
Total Iron (Fe) .....	10.0%
1.1% Water Soluble Iron (Fe) .....	

Nutrient Sources: Ammonium Sulfate, Sulfate of Potash, Sulfate of Potash-Magnesia, Ferrous Sulfate, Iron Humate.  
Chlorine (Cl) not more than ..... 2.0%  
F699

NOTICE: This product contains Iron Humate. Iron can stain concrete surfaces and should not contact dry or water dampened concrete. If contact occurs, product should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water. Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

**58138**

LEBANON SEABOARD CORPORATION  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
[www.LebanonTurf.com](http://www.LebanonTurf.com)





# ORGANIC IRON

**GREEN WITHOUT GROWTH**



# 4-0-10



### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	4%
4.0% Ammoniacal Nitrogen	
Soluble Potash (K <sub>2</sub> O) .....	10%
Total Magnesium (Mg) .....	1.5%
1.5% Water Soluble Magnesium (Mg)	
Total Sulfur (S) .....	10.0%
10.0% Combined Sulfur (S)	
Total Iron (Fe) .....	10.0%
1.1% Water Soluble Iron (Fe)	
Nutrient Sources: Ammonium Sulfate, Sulfate of Potash, Sulfate of Potash-Magnesia, Ferrous Sulfate, Iron Humate.	
Chlorine (Cl) not more than .....	2.0%
NOTICE: This product contains Iron Humate. Iron can stain concrete surfaces and should not contact dry or water dampened concrete. If contact occurs, product should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water. Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.	
	F699

**58138**

SPECIMEN LABEL

**LEBANON SEABOARD CORPORATION**  
**1600 EAST CUMBERLAND STREET**  
**LEBANON, PA 17042**  
**www.LebanonTurf.com**

Net Wt. 50 Lbs. (22.68 kg)



**ORGANIC IRON**

**GREEN WITHOUT GROWTH**

**DIRECTIONS FOR USE**

Apply to turf at a rate of 5 to 10 pounds per 1,000 sq. ft. (for a maximum application rate of 50 pounds per 1,000 sq. ft. per growing season) to generate good color without promoting unwanted top growth. Watering in is recommended for quicker response and better granule dispersion and is particularly recommended when application has been made to moist turf so spotting or staining does not occur. Apply to turf mowed to one-half inch or less only at the lower rate and only after testing to make sure unwanted spotting, staining, or phytotoxicity does not occur. Watering in thoroughly is recommended. Reapply as necessary to maintain desirable color.

**ORNAMENTAL USE:**

For chlorosis of azaleas, rhododendrons, or evergreens, apply 2 tablespoons of PERK per foot of plant height or 4 pounds per 1,000 sq. ft. Apply uniformly around plant drip zone. Watering in will speed the effects of the product.

For general landscape use, apply 1 tablespoon per foot of plant height or 2 pounds per 1,000 sq. ft. Water in thoroughly to remove any particles from the leaf surface and to activate product.

**CAUTION** - This product contains Iron Humate and Ferrous Sulfate. Iron will stain concrete and clothing. Sweep or blow, do not wash particles off concrete sidewalks. Any clothing that has contacted the product should be washed separately to make sure stains are not transferred to other clothing.

SPECIMEN LABEL

**SUGGESTED SPREADER SETTINGS**

Spreader	Speed		Width of Coverage	Setting		
	Ground MPH	PTO RPM		SGN 150		SGN 195*
			5#/1,000 Sq. Ft.	10#/1,000 Sq. Ft.	5#/1,000 Sq. Ft.	
Cyclone	3		8 ft.	4	5½	5
Earthway (Rotary)	3		8 ft.	13	18	16
Ezee Flow (109)	5	540	30 ft.	C2½	C3½	C3
Gandy	3			24	30	28
Lely (HR,1250,1500,2010)	5		39 ft.	4II	6II	6II
Lely (W)	5	425	39 ft.	4II	6II	6II
Lesco (letter dial)	3		8 ft.	G	K	J
Lesco (numeric dial)	3		8 ft.	15	22	21
Ortho Rotary	3		6 ft.	3	6	5½
Prizelawn BF & CBR III	3		8 ft.	J	O	N
Prizelawn CBR II	3		8 ft.	4	6	5½
Prizelawn LF-1	3		8 ft.	2½	4½	4
Republic Rotary	3		6 ft.	3	6	5½
Scotts AccuPro	3		8 ft.	H	O	M
Scotts (Rotary) R7X	3		8 ft.	E	J	I
Scotts (Rotary) R8A	3		8 ft.	K	N	M
Spyker	3		8 ft.	3½	4½	4½
Vicon PS 402	5	540	35 ft.	24	30	27

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

\* To apply at the rate of 10 lbs. per 1,000 sq. ft., make two consecutive 5 lb. applications at right angles to each other. Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

**Keep out of reach of children.**

**CAUTION**

**LEBANON SEABOARD CORPORATION**  
 1600 EAST CUMBERLAND STREET  
 LEBANON, PA 17042  
 www.LebanonTurf.com

PERK® and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation. Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebses.com>