

# Pro

# LEBANON Scape®

FERTILIZER  
with **MERIT**® 0.3%  
INSECTICIDE

# 10-0-4

# MESA

Patented Controlled Release Nitrogen

### GUARANTEED ANALYSIS

Total Nitrogen (N).....	10%
1.2% Ammoniacal Nitrogen	
0.7% Water Insoluble Nitrogen*	
7.0% Urea Nitrogen	
1.1% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O).....	4%
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.	
Chlorine (Cl) not more than.....	4.0%
*1.8% Slowly available Nitrogen from Methylene Ureas.	



Information regarding the contents and levels of metals in this product are available on the Internet at: <http://www.regulatory-info-lebsea.com>

**NOTE:** Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

### SPREADER SETTINGS FOR THIS PRODUCT

The following chart can be used as a guide in establishing an accurate rate of this product. The suggested settings provide an application rate of 2.3 lb per 1000 sq ft, or 100 lb per acre. Application rates will vary dependent upon speed, equipment wear and condition of spreader. Carefully calibrate all equipment used prior to commercial use of this product.

SUGGESTED SPREADER SETTINGS			
Spreader	2.3#/1,000 sq. ft.	Spreader	2.3#/1,000 sq. ft.
LebanonTurf	4	Lesco (letter/Numeric)	G/15
Andersons AccuPro	H	PennMulch HVO	J
Earthway Rotary	15	ProScape SS	J
Gandy	24	Spyker	4
Lely	4 II	Vicon (all models)	22

MESA is a registered trademark of Lebanon Seaboard Corporation.

**For fertilization and insect control in turfgrass and landscape ornamentals.**

Fertilizer with MERIT Insecticide.

### ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine..... 0.3%

OTHER INGREDIENTS:..... 99.7%  
100.0%

# MERIT

EPA Reg. No. 432-1350-961  
Merit® is a registered trademark of Bayer.

EPA Est. No. 961-PA-01; 961-IL-01  
Superscript used is first letter of lot number.

**STOP - Read label before use.  
Keep out of reach of children.**

### CAUTION

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.  
For PRODUCT USE Information Call 1-800-233-1067.



Distributed by:  
**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

NET WEIGHT **23** LBS. (10.43 KG)

# FERTILIZER

with **MERIT**<sup>®</sup> 0.3%  
INSECTICIDE

# 10-0-4

# MESA

<sup>®</sup>  
Patented Controlled Release Nitrogen

### GUARANTEED ANALYSIS

**Total Nitrogen (N)**..... 10%  
 1.2% Ammoniacal Nitrogen  
 0.7% Water Insoluble Nitrogen\*  
 7.0% Urea Nitrogen  
 1.1% Other Water Soluble Nitrogen\*  
**Soluble Potash (K<sub>2</sub>O)**..... 4%

**Derived From:** Ammonium Phosphate, Ammonium Sulfate,  
Methylene Ureas, Urea, Muriate of Potash.

**Chlorine (Cl) not more than**..... 4.0%  
 \*1.8% Slowly available Nitrogen from Methylene Ureas.



Information regarding the contents and levels of metals in this product are available on the Internet at: <http://www.regulatory-info-lebsea.com>

**NOTE:** Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 lb. Nitrogen per 1,000 sq. ft.

#### SPREADER SETTINGS FOR THIS PRODUCT

The following chart can be used as a guide in establishing an accurate rate of this product. The suggested settings provide an application rate of 2.3 lb per 1000 sq ft, or 100 lb per acre. Application rates will vary dependent upon speed, equipment wear and condition of spreader. Carefully calibrate all equipment used prior to commercial use of this product.

SUGGESTED SPREADER SETTINGS			
Spreader	2.3#/1,000 sq. ft.	Spreader	2.3#/1,000 sq. ft.
LebanonTurf	4	Lesco (letter/Numeric)	G/15
Andersons AccuPro	H	PennMulch HVO	J
Earthway Rotary	15	ProScape SS	J
Gandy	24	Spyker	4
Lely	4 II	Vicon (all models)	22

MESA is a registered trademark of Lebanon Seaboard Corporation.

**For fertilization and insect control in turfgrass and landscape ornamentals.**

Fertilizer with MERIT Insecticide.

**ACTIVE INGREDIENT:**

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine ..... 0.3%

**OTHER INGREDIENTS:**..... 99.7%

100.0%



EPA Reg. No. 432-1350-961  
Merit® is a registered trademark of Bayer.

(L) (D)  
EPA Est. No. 961-PA-01; 961-IL-01  
Superscript used is first letter of lot number.

**STOP - Read label before use.  
Keep out of reach of children.**

## **CAUTION**

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.  
For PRODUCT USE Information Call 1-800-233-1067.



**Distributed by:**

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

**NET WEIGHT 23 LBS. (10.43 KG)**

## FIRST AID

<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment.

Note To Physician: No specific antidote is available. Treat the patient symptomatically

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

## ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

## DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

### APPLICATION TO TURFGRASS

The use of this product will provide plant nutrients as well as providing control of selected insect pests. Lebanon Proscap Fertilizer with Merit 0.3% Insecticide can be used for the control of soil inhabiting pests of turfgrass; for example northern & southern masked chafers, *Cyclocephala borealis*, *C. immaculata*, and/or *C. lurida*; Asiatic garden beetle, *Maladera castanea*; European chafer, *Rhizotrogus majalis*; Green June beetle, *Cotinus nitida*; May or June beetles, *Phyllophaga* spp.; Japanese beetle, *Popillia japonica*; Oriental beetle, *Anomala orientalis*, billbugs, *Sphenophorus* spp.; annual bluegrass weevil, *Listronotus maculicollis*; Black turfgrass ataeenius, *Ataenius spretulus*; *Aphodius* spp.; crane flies, *Tipula* spp., and mole crickets, *Scapteriscus* spp. Use this product on turfgrass; for example, in home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields. Do not use this product on commercial sod farms.

APPLICATION RATES			
CROP	PEST		DOSAGE Lebanon Proscap Fertilizer with Merit 0.3% Insecticide
Turf Grasses	Annual bluegrass weevil Billbugs Crane flies	Green June beetle Japanese beetle Northern masked chafer Oriental beetle <i>Phyllophaga</i> spp. Southern masked chafer	100 to 133 lb per acre or 2.3 to 3 lb per 1000 sq ft
	Larvae of white grubs, for example: <i>Aphodius</i> sp., Asiatic garden beetle, Black turfgrass ataeenius, European chafer		
For optimum control, make application prior to egg hatch of the target pest. Be sure to read "APPLICATION EQUIPMENT" Section of this label.			
	Mole crickets Chinch bugs (suppression)		133 lb per acre or 3 lb per 1000 sq ft
For suppression of chinch bugs, make application prior to the hatching of the first instar nymphs. For optimum control of mole crickets, make application prior to or during the period of peak egg hatch. If application is not made prior to egg hatch, and adults or large nymphs are present and actively tunneling, then apply Lebanon Proscap Fertilizer with Merit 0.3% Insecticide in combination with a remedial insecticide to minimize damage to turf.			
Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application.			
<b>USE RESTRICTIONS</b>			
<ul style="list-style-type: none"> <li>• Do not apply more than 133 lb (0.4 lb of active ingredient) per acre per year.</li> <li>• Do not apply to soils which are waterlogged or saturated, which will not allow penetration into the root zone of the plant.</li> <li>• For optimum control, irrigate if rainfall does not occur within 24 hours after application to move the active ingredient through the thatch.</li> <li>• On golf courses, irrigate treated areas following application.</li> <li>• For optimum control, mow turf or lawn area only after irrigation or rainfall has occurred so that uniformity of application will not be affected.</li> <li>• Avoid runoff or puddling of irrigation water following application.</li> </ul>			

The active ingredient in this product has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically into the soil profile.

### APPLICATION TO ORNAMENTALS

This product can be used as a broadcast application on ornamentals in commercial and residential landscapes, as well as on landscaped areas of golf courses and other recreational areas. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the plant. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation or rainfall to place the active ingredient into the soil. Make application prior to anticipated pest infestation to achieve optimum levels of control.

Applications of this product cannot exceed a total of 133 lb (0.4 lb of active ingredient) per acre per year.

**NOTE: Not for use in commercial greenhouses, or nurseries, or on sod farms.**

APPLICATION RATES FOR USE ON ORNAMENTALS		
CROP	PEST	DOSAGE Lebanon Proscape Fertilizer with Merit 0.3% Insecticide
Landscape plantings Including: Trees, Shrubs, Evergreens Flowers, Foliage, Plants, Ground Covers	White Grub larvae For example: Japanese beetle larvae, chafers, <i>Phyllophaga</i> spp., Asiatic garden beetle, Oriental beetle	2.3 to 3 lb per 1000 sq ft
Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.		
<b>USE RESTRICTIONS</b>		
<ul style="list-style-type: none"> <li>Do not apply this product, by any application method, to linden, basswood, or other Tilia species.</li> <li>Do not apply more than 133 lb (0.4 lb of active ingredient) per acre per year.</li> <li>For optimum control, irrigate if rainfall does not occur, or incorporate mechanically, within 24 hours after application to move the active ingredient into the soil.</li> <li>Avoid runoff or puddling of irrigation water following application.</li> <li>Avoid application of Merit 0.3 Plus Turf Fertilizer to areas which are water-logged or saturated, which will not allow penetration into the root zone of the plant.</li> <li>Do not apply to vegetable gardens.</li> </ul>		
Refer to label sections on application equipment and spreader settings.		

### APPLICATION EQUIPMENT

Apply this product uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply this product. Do not use spreaders which would apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of the distributor. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE DISTRIBUTOR MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of the Distributor is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE DISTRIBUTOR DISCLAIMS ANY liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT THE DISTRIBUTORS ELECTION, THE REPLACEMENT OF PRODUCT.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577, or contact Chemtrec at 800-424-9300.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration or if allowed by the state and local authorities, by burning. If burned, stay out of smoke.